TECHNICAL LIBRARY

AD		

AD-E401 112

TECHNICAL REPORT ARLCD-TR-83048

THEORETICAL CALCULATIONS OF H(2) CARS SPECTRA FOR PROPELLANT FLAMES

JOANNE FENDELL L. E. HARRIS KENNETH ARON

DECEMBER 1983



U.S. ARMY ARMAMENT RESEARCH AND DEVELOPMENT CENTER

LARGE CALIBER WEAPON SYSTEMS LABORATORY
DOVER, NEW JERSEY

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.

Destroy this report when no longer needed. Do not return to the originator.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
Technical Report ARLCD-TR-83048			
4. TITLE (and Subtitle)		S. TYPE OF REPORT & PERIOD COVERED	
THEORETICAL CALCULATIONS OF H(2) C	ARS SPECTRA FOR		
PROPELLANT FLAMES		6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)	
Joanne Fendell			
L. E. Harris			
Kenneth Aron			
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
ARDC, LCWSL Applied Sciences Div [DRSMC-LCA-G(נות:		
Dover, NJ 07801	ן (ש.	1L16122AH60	
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE	
ARDC, TSD		December 1983	
STINFO Div [DRSMC-TSS(D)] Dover, NJ 07801		13. NUMBER OF PAGES	
14. MONITORING AGENCY NAME & ADDRESS(If differen	of from Controlling Office)	15. SECURITY CLASS. (of this report)	
MONITORING AGENCY NAME & ADDRESS(II differen	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	13. SECURITY CEASS. (or line report)	
		Unclassified	
		1Sa. DECLASSIFICATION/DOWNGRADING SCHEDULE	
		SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)			
Approved for public release; distr	ibution unlimite	d .	
17. DISTRIBUTION STATEMENT (of the abstract antered	In Block 20, if different fro	m Report)	
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary as	nd Identify by block number)		
CARS Vibratio	onal raman		
Propellant			
Hydrogen			
Rotational raman			
20. ABSTRACT (Continue on reverse side if necessary an	nd Identify by block number)		
High energy pure rotational Hobserved in several spectral region H(2) CARS is of interest because h	H(2) CARS transit ons, most notably nydrogen is a maj	, the NO and CO CARS regions. or combustion product of pro-	
pellants, especially nitramine property performed to assign the observed by			
		(cont)	

20. ABSTRACT (cont)

For this particular case, the calculations of interest are for the observed S- and Q-branch transitions of H(2) for v equal to 0 and 1. Spectroscopic constants available in the literature and the results of an <u>ab initio</u> calculation performed by Ermler were used in the analysis.

Ermler used the potential energy curves for the ground state of hydrogen calculated by Kolos and Wolniewicz over a range of $0.4 \le R \le 10.0$ a.u. as the basis for this calculation. The result is a set of spectroscopic constants superior to any other set examined.

Having assigned the transitions, the third order susceptibility, which gives a model for data reduction of CARS spectra can be calculated. Temperature and concentration for a given species can be obtained by comparing the theoretical spectra with experimental results.

ACKNOWLEDGMENT

The authors would like to thank Professor W. C. Ermler, Stevens Institute of Technology, for providing us with the <u>ab initio</u> calculations and helpful discussions.

CONTENTS

	Page
Introduction	1
CARS Theory	1
Results	2
Spectroscopic Constants Application of Spectroscopic Constants Calculation of H ₂ CARS S- and Q-Branches	2 2 3
Discussion	4
References	5
Distribution List	15
TABLES	
	Page
l Comparison of spectroscopic constants (cm^{-1})	7
2 Calculation of selected transitions (cm^{-1})	7
3 Computed energies of H ₂ Q-branch transitions	8
4 Computed energies of H ₂ S-branch transitions	9
FIGURES	
1 H ₂ CARS Q-branch spectra at 2500 K	11
2 H ₂ CARS Q-branch spectra at 3000 K	11
3 Temperature variation of H ₂ CARS spectra	12

13

4 $\ \mbox{H}_{2}$ CARS S-branch at 2732 K

INTRODUCTION

The use of coherent anti-stokes Raman scattering (CARS) spectroscopy in combustion studies is well documented (refs 1 through 5). Hydrogen is a major combustion product of propellants, as illustrated by $\rm H_2$ CARS S-branch transitions, obtained from both $\rm CH_4/N_2O$ model propellant flames and actual propellant flames (refs 6 and 7).

Because the use of $\rm H_2$ CARS spectra to obtain temperature and concentration profiles is limited by the reliability of the spectroscopic constants, a literature search was conducted (refs 8 through 11) to find a suitable set of spectroscopic constants, and a set of <u>ab initio</u> calculations were obtained from Ermler. The method used by Ermler is described briefly below. A more complete treatment is given in the literature (refs 12 through 15). Overall the transition energies calculated on the basis of Ermler's constants agreed most closely with our experimental results, so that particular set of spectroscopic constants was used to calculate $\rm H_2$ S- and Q-branches.

CARS THEORY

The observed CARS spectrum is proportional to the square of the modulus of the third order susceptibility, χ^2 , which is the sum of a resonant term χ_r , and a nonresonant term χ_{nr} , which are related to the vibrational and electronic displacement, respectively

$$\chi^{(3)} = \chi_r + \chi_{nr} \tag{1}$$

The resonant term is calculated as the sum of Lorentian line shapes of each rotational transition

$$\chi_{r} = \sum_{j} K_{j} \Gamma_{j} / (2\Delta\omega_{j} - i\Gamma_{j})$$
(2)

given that

$$K_{j} = \frac{2N}{h} |\alpha_{j}|^{2} (\Delta p_{j}^{(0)}) \Gamma_{j}^{-1}$$
(3)

where N is the number density, α is the isotropic polarizability matrix element for the transition, Δp_j is the normalized population difference between the

Personal communication between W. C. Ermler, Stevens Institute of Technology, Hoboken, NJ and J. Fendell, ARDC, May 1983.

molecular energy levels involved in the transition, ω is the isolated pressure-broadened linewidth, and $\Delta\omega=\omega-\omega$. The calculated $|\chi^{(3)}|^2$ is first convoluted over the laser shapes, then over a triangular slit function.

 χ_{r} is the sum of real and imaginary components χ^{\prime} and $\chi^{\prime}{}^{\prime}$, respectively, so that

$$|\chi^{(3)}|^2 = \chi^{2} + 2\chi^{2}\chi_{nr} + \chi^{2}^2 + \chi_{nr}^2$$
 (4)

 χ^{\prime} and $\chi^{\prime}\,'$ display dispersive and resonant behavior with respect to the detuning frequency, $\Delta\omega$,

As the concentration of the resonant species is lowered, the cross term $2\chi'\chi_{nr}$, which is dispersive, influences the shape of the spectrum. The observation of dispersively modulated spectra allows temperature and concentration to be estimated on the basis of model calculations.

The concentration of various species from the ratio of the total CARS intensity to the nonresonant intensity at any frequency where resonant transition of the species occurs can also be estimated. In broadband CARS, the nonresonant susceptibility is usually observed directly from regions where no resonance occurs. The spectral distribution of the nonresonant susceptibility, which reflects that of ω_2 , can be obtained either from measurements of the distribution of ω_2 or directly from measurements of a nonresonant gas (ref 16).

RESULTS

Spectroscopic Constants

In an effort to find theoretical support for experimental observations, a literature search for spectroscopic constants for the $X^{\circ}\Sigma^{\circ}$ state of hydrogen was conducted. Constants published by Stoicheff (ref 8), Fink et al. (ref 9), Herzberg (ref 10), and Huber and Herzberg (ref 11) were available in the literature. Another set was obtained by data reduction of the results obtained from Ermler.

In his calculations, Ermler used potential energy curves for the $\chi^1 \, \Sigma^+$ state of hydrogen calculated by Kolos and Wolniewicz (ref 13). These potential curves are obtained by using a generalized James-Coolidge wavefunction with variational parameters in elliptic coordinates, which is then used to solve the Schrodinger equation by numerical methods. Double precision arithmetic using 15 vibrational and 15 rotational levels were used in the calculations.

Application of Spectroscopic Constants

The total energy of a molecule is a function of both the rotational and vibrational quantum numbers. The expression is given as

$$E(v,J) = \omega_{e}(v + 0.5) - X_{e}\omega_{e}(v + 0.5)^{2} + Y_{e}\omega_{e}(v + 0.5)^{3} - Z_{e}\omega_{e}(v + 0.5)^{4} + B_{v}(J^{2} + J) - D_{v}J^{2}(J + 1)^{2} + H_{v}(J^{3})(J + 1)^{3}$$

where

$$B_{v} = Be + \alpha_{e}(v + 0.5) + \gamma_{e}(v + 0.5)^{2}$$

$$D_{v} = De + \beta(v + 0.5) + \delta_{e}(v + 0.5)^{2}$$

$$H_{v} = H_{0} + H_{1}(v + 0.5) + H_{2}(v + 0.5)^{2}$$

It is useful to know the values of $\rm B_{\rm V},~\rm D_{\rm V},~\rm and~\rm H_{\rm V},~\rm since$ they allow us to predict the frequencies at which pure rotational (S-branch) and ro-vibrational (Q-branch) transitions will occur.

S-branch =
$$E(I,J+2)-E(I,J)$$

Q-branch = $E(I+1,J)-E(I,J)$

In general, $B_{\rm V}$, $D_{\rm V}$, and $H_{\rm V}$ are approximated by second-order polynomials. Stoicheff, Herzberg, and Huber and Herzberg stated these polynomials explicitly, but Fink et al. and Ermler stated these quantities at various values of v. In order to use these values in a systematic way in calculating S-branch and Q-branch specta, values of $B_{\rm V}$, $D_{\rm V}$, and $H_{\rm V}$ corresponding to v = 0,1,2 were fitted to a second-order polynomial. The estimated standard error for these correlations ranged between 10^{-3} and 10^{-18} for Fink's results and between 10^{-11} and 10^{-18} for Ermler's results. The values for $B_{\rm V}$, $D_{\rm V}$, and $H_{\rm V}$ from all sources are compiled in table 1.

In table 2, the calculated S-branch frequencies are compared to our recently obtained experimental results. There is a clear difference among the results obtained by using various constants to calculate higher S-branch transitions. The constants of Fink et al. and Ermler were used to calculate the transition frequencies found in tables 3 and 4, since these particular sets of constants agreed most closely with experimental results.

Calculation of H₂ CARS S- and Q-Branches

 $\rm H_2$ CARS S- and Q-branches were calculated using Ermler's spectroscopic constants. The Q-branch results for various temperatures are given in figures 1, 2, and 3. The S-branch results shown in figure 4 for the $\rm S_o(7,5)^2$, transition at 1815 cm $^{-1}$ illustrates conditions comparable to those in the ϕ = 1.8 CH $_4/\rm N_2O$ flame

² S-branch transitions are labeled using the notation $S_v(J', J'')$.

in which it was observed (refs 6 and 7). In these calculations, a Doppler broadened linewidth and a $3.0~{\rm cm}^{-1}$ slit function were assumed.

DISCUSSION

The recently observed higher S-branch transitions (refs 6 and 7) are compared to the transition frequencies given by various spectroscopic constants in table 2. In all cases, the constants of Fink et al. and Ermler agree more closely with experimental results than other constants. For the v=0 transitions, the results of Fink et al. and Ermler diverge as the transitions increase in frequency. Ermler's results are closer to the experimental results for $S_0(9,7)$ than those of Fink et al. For $S_0(11,9)$, the difference between experimental results and those of Fink et al. is large enough to be experimentally discernible. The frequency of the $S_0(11,9)$ transition has been observed experimentally at 2131 cm⁻¹ by us (refs 6 and 7) as well as Farrow et al. (ref 17) in good agreement with Ermler's value of 2130 cm⁻¹. The results obtained for v=1 do not differ greatly for either set of constants until levels higher than the observed transitions are reached. On the basis of present experimental data, Ermler's constants agree most closely with the experiment.

For both v=0 and v=1, Ermler's constants predict that the Q-branch transitions will be more closely spaced than the results of Fink et al. As seen from the computed results (table 3), Ermler's constants predict experimentally discernable differences from those at Fink et al. (ref 18) beginning at J''=6. The computed CARS Q-branch spectra (fig. 1 and 1a) show that above 2500 K, Q-branches above J''=6 are significantly populated. Q-branch spectra will be taken to confirm the validity of the spectroscopic constants at these temperatures.

The results obtained indicate that the set of spectroscopic constants obtained from the <u>ab initio</u> calculations are in better agreement with experimental results than other sets of constants.

REFERENCES

- 1. R. L. Farrow, P. L. Mattern, and L. A. Rahn, Applied Optics, vol 21, 1982, p 3119.
- 2. R. J. Hall and A. C. Eckbreth, Optical Engineer, vol 20, 1981, p 494.
- 3. S. Druet and J. P. Taran, Chemical and Biological Applications of Lasers, C. B. Moore, ed, Academic Press, New York, NY, 1979.
- 4. J. W. Nibler and G. V. Knighten, Raman Spectroscopy of Gases and Liquids, A. Weber, ed, Springer-Verlag, New York, NY, 1979.
- 5. L. E. Harris, "CARS Spectroscopy of Propellant Flames," Proceedings of the 9th International Colloquium on Dynamics of Explosives and Reactives Systems, Poitier, France, 1983.
- 6. L. E. Harris, K. Aron, J. Fendell, 19th JANNAF Combustion Meeting, Greenbelt, MD, 1982.
- 7. K. Aron, L. E. Harris, J. Fendell, Applied Optics, to be published.
- 8. B. P. Stoicheff, Raman Spectroscopy of Gases, vol IX, 1957.
- 9. U. Fink et al., J. Mol Spect, vol 18, 1965, p 384.
- 10. G. Herzberg, Spectra of Diatomic Molecules, Van Nostrand, New York, NY, 1950.
- K. P. Huber and G. Herzberg, Constants of Diatomic Molecules, Van Nostrand, New York, NY, 1979.
- 12. W. Kolos and L. Wolniewicz, J. of Chemical Physics, vol 43, 1965, p 2429.
- 13. J. W. Cooley, Math Computations, vol 15, 1961, p 363.
- 14. W. Kolos and L. Wolniewicz, J. of Chemical Physics, vol 49, 1968, p 404.
- 15. W. Kolos and L. Wolniewicz, J. of Chemical Physics, vol 41, 1974, p 3663.
- L. E. Harris, Combustion and Flame, vol 53, pp 103-121, 1983.
 L. E. Harris, Chemical Physics Letters, vol 93, 1982, p 335.
- 17. R. Farrow, P. Mattern, and L. A. Rahn, 7th International Raman Conference, Ottawa, Ontario, Canada, 1980, p 668.
- 18. K. Aron and L. E. Harris, 20th JANNAF Combustion Meeting, Monterey, CA, 1983.

Table 1. Comparison of spectroscopic constants (cm^{-1})

Con	stants	Herzberg	Huber and Herzberg	Stoicheff	Fink et al.	Ermler
	Ве	60.800	. 60.853	60.840	60.8318	60.7922
	α e	-2.993	-3.062	-3.0177	-3.0087	-3.0320
	β _e	0.025	0.057	0.0285	0.0266	0.0350
	De	0.0464	0.00471	0.04684	0.0471	0.0448
	Ве	-0.00134	-0.0027	-0.0017	-0.0029	-0.0016
	δe		0.0004	3×10^{-5}	4.5×10^{-4}	4.5×10^{-5}
	Но	5.18×10^{-5}		5.2×10^{-5}	5.62×10^{-6}	3.23×10^{-5}
	H_1				-1.7×10^{-6}	-8.70×10^{-7}
	Н2				4×10^{-7}	-2.50×10^{-8}
	ωe	4395.2	4401.21	4401.21	4401.217	4400.39
	χeωe	117.90	121.33	121.43	121.343	120.814
	yeωe	0.29	0.812	0.892	0.8145	0.7241
	Zewe	0.	0.	0.	0.	0.

Table 2. Calculation of selected transitions (cm^{-1})

<u>Transition</u> ^a	Experimentalb	Stoicheff	Fink et al.	Ermler	Huber and Herzberg
$S_0(7,5)$	1446	1447.67	1447.61	1447.80	1449.83
s _o (9,7)	1809	1817.95	1817.18	1815.08	1822.05
s _o (11,9)	2131	2145.01	2141.91	2130.32	2150.30
s ₁ (9,7)	1721	1725.42	1719.90	1721.81	1723.13
s ₁ (11,9)	2020	2035.96	2019.02	2019.83	2032.29

 $^{^{\}rm a}$ The transitions are labeled "S $_{\rm V}({\rm J^{\, \prime}},{\rm J^{\, \prime \, \prime}})$."

 $^{^{}m b}$ The experimental data were taken from CARS data given in refs 7 and 18.

Table 3. Computed energies of H_2 Q-branch transitions

	V = 0		V = 1	
<u>J</u>	Fink et al.	Ermler	Fink et al.	Ermler
0	4161.18	4161.12	3925.82	3927.00
1	4155.25	4155.20	3919.99	3920.23
2	4143.32	4143.40	3908.16	3908.71
3	4125.21	4125.79	3890.00	3891.52
4	4100.68	4102.49	3865.00	3868.80
5	4069.40	4073.65	3832.52	3840.61
6	4030.94	4039.43	3791.70	3807.21
7	3984.82	4000.08	3741.56	3768.80
8	3930.44	3955.85	3680.93	3725.63
9	3867.15	3907.04	3608.47	3677.99
10	3794.19	3853.97	3522.70	3626.20
11	3710.74	3797.03	3421.95	3570.64
12	3615.89	3736.61	3304.38	3511.69
13	3508.63	3673.17	3168.01	3449.80
14	3387.88	3607.17	3010.67	3385.44
15	3252.49	3539.16	2830.03	3319.12
16	3101.21	3469.66	2623.60	3251.37
17	2932.70	3399.29	2388.70	3182.80
18	2745.56	3328.67	2122.53	3113.99
19	2538.28	3258.47	1822.07	3045.63
20	2309.30	3189.39	1484.18	2978.39

Table 4. Computed energies of ${\rm H_2}$ S-branch transitions

		V = 0		V = 1	
<u>J'</u>	J''	Fink et al.	Ermler	Fink et al.	Ermler
0	0	354.37	354.13	336.69	336.41
3	1	587.02	586.74	557.68	557.33
4	2	814.40	814.22	773.55	773.30
5	3	1034.65	1034.67	982.47	982.50
6	4	1246.16	1246.37	1182.79	1183.26
7	5	1447.61	1447.80	1373.12	1374.15
8	6	1638.11	1637.69	1552.39	1553.96
9	7	1817.18	1815.08	1719.90	1721.81
10	8	1984.89	1979.37	1875.37	1877.15
11	9	2141.91	2130.32	2019.02	2019.83
12	10	2289.56	2268.18	2151.61	2150.14
13	11	2429.91	2393.64	2274.49	2268.85
14	12	2565.84	2507.95	2389.67	2377.27
15	13	2701.09	2612.97	2499.89	2477.29
16	14	2840.35	2711.12	2608.65	2571.43
17	15	2989.33	2805.54	2720.27	2662.86
18	16	3154.84	2900.08	2839.97	2755.49
19	17	3344.84	2999.35	2973.92	2853.99
20	18	3568.49	3108.80	3129.26	2963.83
21	19	3836.30	3234.71	3314.22	3091.35




Figure 1. $\rm{H_2}$ CARS Q-branch spectra at 2500 K




Figure 2. $\rm{H_2}$ CARS Q-branch spectra at 3000 K




Figure 3. Temperature variation of ${\rm H_2}$ CARS spectra




Figure 4. H_2 CARS S-branch at 2732 K

DISTRIBUTION LIST

```
Commander
Armament Research and Development Center
U.S. Army Armament, Munitions and
   Chemical Command
ATTN: DRSMC-TSS(D) (5)
       DRSMC-TDC(D), D. A. Gyorog
       DRSMC-GCL(D)
       DRSMC-LC(D), J. Frasier
                    J. P. Picard
       DRSMC-LCA(D), T. Davidson
       DRSMC-LCA-G(D), J. Lannon
                       D. Downs
                       L. Harris (10)
                       T. Vladimiroff
                       A. Beardell
                       Y. Carignon
                       J. Fendell (10)
                       K. Aron
                       E. Petrow
       DRSMC-LCE(D), R. Walker
                     P. Marinkas
                     C. Capellos
                     F. Owens
                     S. Bulusu
                     F. Gilbert
Dover, NJ 07801
```

Administrator
Defense Technical Information Center
ATTN: Accessions Division (12)
Cameron Station
Alexandria, VA 22314

Director
U.S. Army Materiel Systems
Analysis Activity
ATTN: DRXSY-MP
Aberdeen Proving Ground, MD 21005

Commander
Chemical Research and Development Center
U.S. Army Armament, Munitions and
Chemical Command
ATTN: DRSMC-CLJ-L(A)
DRSMC-CLB-PA(A)
APG, Edgewood Area, MD 21010

Director

Ballistics Research Laboratory

Armament Research and Development Center

U.S. Army Armament, Munitions and Chemical Command

ATTN: DRSMC-TSB-S(A)

DRSMC-BLP(A), L. Watermier

- A. Barrows
- G. Adams
- R. Fifer
- M. Miller
- T. Coffee
- J. Heimeryl
- C. Nelson
- J. Vanderhoff
- J. Anderson

Aberdeen Proving Ground, MD 21005

Chief

Benet Weapons Laboratory, LCWSL

Armament Research and Development Center

U.S. Army Armament, Munitions and

Chemical Command

ATTN: DRSMC-LCB-TL

Watervliet, NY 12189

Commander

U.S. Army Armament, Munitions and

Chemical Command

ATTN: DRSMC-LEP-L(R)

Rock Island, IL 61299

Director

U.S. Army TRADOC Systems

Analysis Activity

ATTN: ATAA-SL

White Sands Missile Range, NM 88002

Director

Defense Advanced Research Projects

Agency

ATTN: LTC C. Buck

1400 Wilson Boulevard

Arlington, VA 22209

Commander

U.S. Army Materiel Development

and Readiness Command

ATTN: DRCDMD-ST

5001 Eisenhower Avenue

Alexandria, VA 22333

Commander U.S. Army Watervliet Arsenal ATTN: SARWV-RD, R. Thierry Watervliet, NY 12189

Director
U.S. Army Air Mobility Research
and Development Laboratory
Ames Research Center
Moffett Field, CA 94035

Commander
U.S. Army Communications Research
and Development Command
ATTN: DRDCO-PPA-SA

Fort Monmouth, NJ 07703

Commander
U.S. Army Electronics Research
and Development Command
Technical Support Activity
ATTN: DELSD-L
Fort Monmouth, NJ 07703

Commander
U.S. Army Missile Command
ATTN: DRSMI-R
DRSMI-YDL
Redstone Arsenal, AL 35809

Commander
U.S. Army Natick Research
and Development Command
ATTN: DRXRE, D. Sieling
Natick, MA 01762

Commander
U.S. Army Tank Automotive Research
and Development Command
ATTN: DRDTA-UL
Warren, MI 48090

Commander U.S. Army White Sands Missile Range ATTN: STEWS-VT White Sands Missile Range, NM 88002

Commander
U.S. Army Materials and
Mechanics Research Center
ATTN: DRXMR-ATL
Watertown, MA 02172

Commander

U.S. Army Research Office

ATTN: Technical Library

- D. Squire
- F. Schmiedeshaff
- R. Ghirardelli
- M. Ciftan

P.O. Box 12211

Research Triangle Park, NC 27706

Office of Naval Research

ATTN: Code 473

G. Neece

800 N. Quincy Street

Arlington, VA 22217

Commander

Naval Sea Systems Command

ATTN: J. W. Murrin, SEA-62R2

National Center

Bldg 2, Room 6E08

Washington, DC 20362

Commander

Naval Surface Weapons Center

ATTN: Library Branch, DX-21

Dahlgren, VA 22448

Commander

Naval Surface Weapons Center

ATTN: Code 240, S. J. Jacobs, J. Sharma

Code 730

Silver Spring, MD 20910

Commander

Naval Underwater Systems Center

Energy Conversion Department

ATTN: Code 5B331, R. S. Lazar

Newport, RI 02840

Commander

Naval Weapons Center

ATTN: R. Derr

C. Thelen

China Lake, CA 93555

Commander

Naval Research Laboratory

ATTN: Code 6180

Washington, DC 20375

Superintendent

Naval Postgraduate School

ATTN: Technical Library

D. Netzer

A. Fuhs

Monterey, CA 93940

Commander

Naval Ordnance Station

ATTN: Dr. Charles Dale

Technical Library

Indian Head, MD 20640

AFOSR

ATTN: J. F. Masi

B. T. Wolfson

D. Ball

L. Caveny

Bolling AFB, DC 20332

AFRPL (DYSC)

ATTN: D. George

J. N. Levine

Edwards AFB, CA 93523

National Bureau of Standards

ATTN: J. Hastie

T. Kashiwagi

H. Semerjian

M. Jacox

K. Smyth

J. Stevenson

Washington, DC 20234

Lockheed Palo Alto Research Laboratories

ATTN: Technical Information Center

3521 Hanover Street

Palo Alto, CA 94304

Aerojet Solid Propulsion Co.

ATTN: P. Micheli

Sacramento, CA 95813

ARO Incorporated

ATTN: N. Dougherty

Arnold AFS, TN 37389

Atlantic Research Corporation

ATTN: M. K. King

5390 Cherokee Avenue

Alexandria, VA 22314

AVCO Corporation AVCO Everett Research Laboratory Division ATTN: D. Stickler 2385 Revere Beach Parkway Everett, MA 02149

Calspan Corporation ATTN: E. B. Fisher A. P. Trippe P.O. Box 400 Buffalo, NY 14221

Foster Miller Associates, Inc. ATTN: A. J. Erickson 135 Second Avenue Waltham, MA 02154

General Electric Company Armament Department ATTN: M. J. Bulman Lakeside Avenue Burlington, VT 05402

General Electric Company Flight Propulsion Division ATTN: Technical Library Cincinnati, OH 45215

Hercules Incorporated
Alleghany Ballistic Lab
ATTN: R. Miller
Technical Library
Cumberland, MD 21501

Hercules Incorporated Bacchus Works ATTN: B. Isom Magna, UT 84044

IITRI ATTN: M. J. Klein 10 West 35th Street Chicago, IL 60615

Olin Corporation
Badger Army Ammunition Plant
ATTN: J. Ramnarace
Baraboo, WI 53913

Olin Corporation
New Haven Plant
ATTN: R. L. Cook
D. W. Riefler
275 Winchester Avenue
New Haven, CT 06504

Paul Gough Associates, Inc. ATTN: P. S. Gough P.O. Box 1614 Portsmouth, NH 03801

Physics International Company 2700 Merced Street Leandro, CA 94577

Pulsepower Systems, Inc. ATTN: L. C. Elmore 815 American Street San Carlos, CA 94070

Rockwell International Corp. Rocketdyne Division

ATTN: C. Obert

J. E. Flanagan

A. Axeworthy

6633 Canoga Avenue Canoga Park, CA 91304

Rockwell International Corp.
Rocketdyne Division
ATTN: W. Haymes
Technical Library
McGregor, TX 76657

Science Applications, Inc. ATTN: R. B. Edelman Combustion Dynamics and Propulsion Division 23146 Cumorah Crest Woodland Hills, CA 91364

Shock Hydrodynamics, Inc. ATTN: W. H. Anderson 4710-16 Vineland Avenue N. Hollywood, CA 91602

Thiokol Corporation Elkton Division ATTN: E. Sutton Elkton, MD 21921 Thiokol Corporation
Huntsville Division
ATTN: D. Flanigan
R. Glick
Technical Library
Huntsville, AL 35807

Thiokol Corporation
Wasatch Division
ATTN: J. Peterson
Technical Library
P.O. Box 524
Brigham City, UT 84302

TRW Systems Group ATTN: H. Korman One Space Park Redondo Beach, CA 90278

United Technologies
Chemical Systems Division
ATTN: R. Brown
Technical Library
P.O. Box 358
Sunnyvale, CA 94086

Battelle Memorial Institute ATTN: Technical Library R. Bartlett 505 King Avenue Columbus, OH 43201

Brigham Young University
Department of Chemical Engineering
ATTN: M. W. Beckstead
Provo, UT 84601

California Institute of Technology 204 Karmar Lab Mail Stop 301-46 ATTN: F. E. C. Culick 1201 E. California Street Pasadena, CA 91125

Case Western Reserve University Division of Aerospace Sciences ATTN: J. Tien Cleveland, OH 44135 Georgia Institute of Technology School of Aerospace Engineering

ATTN: B. T. Zinn

E. Price

W. C. Strahle

Atlanta, GA 30332

Institute of Gas Technology ATTN: D. Gidaspow 3424 S. State Street Chicago, IL 60616

Johns Hopkins University/APL Chemical Propulsion Information Agency ATTN: T. Christian Johns Hopkins Road Laurel, MD 20810

Massachusetts Institute of Technology Department of Mechanical Engineering ATTN: T. Toong Cambridge, MA 02139

Pennsylvania State University Applied Research Laboratory ATTN: G. M. Faeth P.O. Box 30 State College, PA 16801

Pennsylvania State University Department of Mechanical Engineering ATTN: K. Kuo University Park, PA 16801

Pennsylvania State University Department of Material Sciences ATTN: H. Palmer University Park, PA 16801

Princeton Combustion Research Laboratories

ATTN: M. Summerfield

N. Messina

1041 U.S. Highway One North Princeton, NJ 08540

Princeton University
Forrestal Campus
ATTN: I. Glassman
F. Dryer

Technical Library

P.O. Box 710 Princeton, NJ 08540 Purdue University
School of Mechanica

School of Mechanical Engineering

ATTN: J. Osborn

S. N. B. Murthy

N. M. Laurendeau

TSPC Chaffee Hall

W. Lafayette, IN 47906

Rutgers State University
Department of Mechanical and

Aerospace Engineering

ATTN: S. Temkin

University Heights Campus New Brunswick, NJ 08903

SRI International

ATTN: Technical Library

D. Crosley

J. Barker

D. Golden

333 Ravenswood Avenue Menlo Park, CA 94025

Stevens Institute of Technology W. C. Ermler Department of Chemistry and Chemical Engineering Hoboken, NJ 07030

United Technology
ATTN: Alan Ecbreth
Robert Hall
Research Center

East Hartford, CT 06108

Commander
Naval Research Laboratory
Chemistry Division
ATTN: A. Harvey
Washington, DC 20375

General Motors Research Laboratory ATTN: J. H. Bechtel Warren, Michigan 48090

System Research Laboratory ATTN: L. Goss 2600 Indian Ripple Rd Dayton, Ohio 45440 Exxon Research and Engineering ATTN: A. Dean
M. Chou
P.O. Box 45
Linden, NJ 07036

Ford Motor Company
Research Staff
ATTN: K. Marko
L. Rimai
Dearborn, Michigan 48120

Sandia Laboratories
Applied Physics Division I
ATTN: L. Rahn
D. Stephenson
Livermore, CA 94550

Rensselaer Polytechnic Institute Dept. of Chem. Engineering ATTN: A. Fontijn Troy, NY 12181

University of California, San Diego Ames Department ATTN: F. Williams P.O. Box 109 La Jolla, CA 92037

University of California Dept. of Mechanical Eng. ATTN: J. W. Daily Berkeley, CA 94720

University of Dayton University of Dayton Research Inst. Dayton, OH 45406

University of Florida Dept. of Chemistry ATTN: J. Winefordner Gainesville, Florida 32601

University of Illinois Dept. of Mechanical Eng. ATTN: H. Krier 144 MEB, 1206 W. Green St. Urbana, IL 61801 University of Minnesota Dept. of Mechanical Eng. ATTN: E. Fletcher Minneapolis, MN 55455

University of California, Santa Barbara Quantum Institute ATTN: K. Schofield M. Steinberg Santa Barbara, CA 93106

University of Southern California Department of Chemistry ATTN: S. Benson Los Angeles, CA 90007

Stanford University
Department of Mech. Eng.
ATTN: R. Hanson
Stanford, CA 93106

University of Texas
Department of Chemistry
ATTN: W. Gardiner
H. Schaefer
Austin, TX 78712

University of Utah
Dept. of Chemical Engineering
ATTN: A. Baer
G. Flandro
Salt Lake City, UT 84112